

Over / under pressure relief device ÜU-GD 150/200

ÜU-GD-150/200 Over / under pressure relief device; pressure range 1 - 8 mbar;
Nonfreezing by integration in the digester roof
material: stainless steel 304 and 316
Unaffected by condensation water
Control window for quick check of water level and current biogas pressure, for flow-through volumes up to 125 m³/h / 200 m³/h;
incl. cover for gas dome 83 x 125, thickness 4 mm, with opening for overpressure plate, gaskets and operation manual in english
Art. Nr.: 80210001 ÜU-GD-150
Art. Nr.: 80220001 ÜU-GD-200



Blow-off pipe for over pressure with flange DN 150 / DN 200; 3 m; stainless steel 304
Art. Nr.: 80280003 DN 150 3m
Art. Nr.: 80280013 DN 200 3m
there are other lengths available on request!



Warning sign EX INTERNATIONAL (double sided), mounted on support plates stainless steel DN 150 / DN 200

Art. Nr.: 80210004 DN 150

Art. Nr.: 80220005 DN 200





Level sensor E+H Liquipoint double rod, ATEX + WHG certicat,
rod length 40 - 160 cm,
connection box PPS size: G 6/4"
Incl.: sensor relay E+H for signal transmission and 6/4" coupling i-a

Art. Nr.: 754015204 (40 cm)

Art. Nr.: 754015210 (100 cm)

Art. Nr.: 754015212 (120 cm)





Gas dome frame, 83 x 125 (cover measure), 765 mm high, stainless steel 316, 3 mm thick, U-profile form
Art.
Nr.: 80510100



Price for lateral flange on gas dome DN 150 / DN 200-DIN-flange
Art. Nr.: 80510115 DN 150
Art. Nr.: 80510120 DN 200




Butterfly valve EBRO cast iron / stainless steel / NBR for gas

Inter flange type	/	end of pipe type
DN 100.: 70100100	/	70150100
DN 150.: 70100150	/	70150150
DN 200.: 70100200	/	70150200
DN 250.: 70100250	/	70150250



C-clamps 13mm spacing compl. stainless steel M8 for cover mounting without bore holes
Art. Nr.: 80520808







Cover sealing tape self-adhesive 35 x 4 mm,
Tapetec (1 roll =10 m, Sahlberg)
Art. Nr.: 50300354



Overpressure plate 48 x 48 cm stainless steel 304
with guidance-frame and side-slot sealing
Art. Nr.: 80230001



Overpressure plate 48 x 48 cm stainless steel 304
with guidance-frame and side-slot sealing and
integrated sight glass with wiper.
Art. Nr.: 80230002



Ballast weight for overpressure plate, consisting of
concrete block 29x19x12 cm, with for fastening
band
Art. Nr.: 80230008

