

Over / under pressure relief device ÜU-GD 150/200

ÜU-GD-150/200 Over / under pressure relief device; pressure range 1 - 8 mbar;
Nonfreezing by integration in the digester roof
material: stainless steel 304 and 316
Unaffected by condensation water
Control window for quick check of water level and current biogas pressure, for flow-through volumes up to 125 m³/h / 200 m³/h;
incl. cover for gasdom 83 x 125, thickness 4 mm, with opening for overpressure plate, gaskets and operation manual in english
Art. Nr.: 80210001 ÜU-GD-150
Art. Nr.: 80220001 ÜU-GD-200



Blow-off pipe for over pressure with flange DN 150 / DN 200; 3 m; stainless steel 304
Art. Nr.: 80280003 DN 150 3m
Art. Nr.: 80280013 DN 200 3m
there are other legths as need available!








Warning sign EX INTERNATIONAL, double, on support plates stainless steel DN 150 / DN 200
Art. Nr.: 80210004 DN 150
Art. Nr.: 80220005 DN 200




Level sensor SAT double rod, lenth 100 - 160 cm, rod size 8 mm,
connection box : Plactic POM
connection size : G 1"
Inkl.: sensor relais ExSRA-100-U0 for signal transmission
Art. Nr.: 75401100 (100 cm)
Art. Nr.: 75401120 (120 cm)






<p>Gasdom frame, 83 x 125 (cover measure), 765 mm high, stainless steel 316, 3 mm thick, U-profil form Art. Nr.: 80510100</p>	
<p>Price for lateral flange on Gasdom DN 150 / DN 200-DIN-flange Art. Nr.: 80510115 DN 150 Art. Nr.: 80510120 DN 200</p>	
<p>Butterfly valve DN 150/DN 200 EBRO cast / stainless steel / NBR for gas Art. Nr.: 70100150 DN 150 Art. Nr.: 70100200 DN 200</p>	
<p>C-clamps 13mm spacing compl. stainless steel M8 for cover mounting without bores Art. Nr.: 80520808</p>	




Cover sealing tape selfadhesive 35 x 4 mm,
Tapetec (1 roll =10 m, Sahlberg)
Art. Nr.: 50300354



Overpressure plate 48 x 48 cm stainless steel 304
with guidance-frame and side-slot sealing
Art. Nr.: 80230001



Overpressure plate 48 x 48 cm stainless steel 304
with guidance-frame and side-slot sealing and
integrated sight glass with wiper.
Art. Nr.: 80230002



Ballast weight for overpressure plate, consisting of
rubber wheels package Ø 24 cm, slices of 2 cm
with a hole for fastening tape
Art. Nr.: 80230005

